

**Form – IV****ANNUAL REPORT**

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sr No	Particulars		
1	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or operator of facility)	:	Mr. Nitin Kamaria
	(ii) Name of HCF or CBMWTF	:	Hiranandani Healthcare Pvt. Ltd.
	(iii) Address for Correspondence	:	Plot No. 28, Mini Sea Shore Road, Sector - 10A, Vashi Navi Mumbai - 400703
	(iv) Address of Facility	:	Same As Above
	(v) Tel. No, Fax. No	:	022-39199222 / 022-39199220
	(vi) E-mail ID	:	director.vashi@fortishealthcare.com
	(vii) URL of Website	:	www.fortishealthcare.com
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	Private
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: Format 1.0//UAN No.0000100647/CR2108001300 Valid up to: 30/04/2025
(xi). Status of Consents under Water Act AND Air Act	:	Valid up to: 30/04/2025	
2	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: 150
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	NA
	(iii) License number and its date of expiry	:	Nursing Home Registration No. 163
3	Details of CBMWTF	:	
	(i) Number healthcare facilities covered by CBMWTF	:	4377
	(ii) No of beds covered by CBMWTF	:	14497
	(iii) Installed treatment and disposal capacity of CBMWTF	:	6000 Kg per day
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	4800 Kg/day
4	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category : 20873Kg
		:	Yellow Cytotoxic Category: -




		Red Category :	24312Kg
		White:	818Kg
		Blue Category :	4918Kg
		General Solid waste:	-
	Details of the Storage, treatment, transportation, processing and Disposal Facility		
	(i) Details of the on-site storage facility	Size :	
		Capacity :	
		Provision of on-site storage : (cold storage or any other provision)	
	(ii) Details of the treatment or disposal facilities	Type of treatment equipment	No of units Capacity Kg/day Quantity treated or disposed in Kg per annum
		Incinerators	6MT
		Plasma Pyrolysis	NA
		Autoclaves	600/Batch
		Microwave	NA
		Hydroclave	NA
		Shredder	100 Kg/Hr NA
		Needle tip cutter or destroyer	NA
		Sharps encapsulation or concrete pit	NA
		Deep burial pits:	NA
		Chemical disinfection:	NA
		Any other treatment equipment:	NA
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	Red Category (like plastic, glass etc.):	NA
	(iv) No of vehicles used for collection and transportation of biomedical waste		NA
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	NA	Quantity generated Where disposed
		Incineration Ash ETO Sludge	NA NA
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of		Mumbai Waste Management Ltd.



	(vii) List of member HCF not handed over bio-medical waste.	:	NA
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	:	Yes
7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management.	:	47
	(ii) number of personnel trained	:	561
	(iii) number of personnel trained at the time of induction	:	179
	(iv) number of personnel not undergone any training so far	:	5
	(v) Whether standard manual for training is available?	:	YES
	(vi) any other information	:	NO
8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred	:	13
	(ii) Number of the persons affected	:	
	(iii) Remedial Action taken (Please attach details if any)	:	
	(iv) Any Fatality occurred, details.	:	NA
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	:	NA
	Details of Continuous online emission monitoring systems installed		NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	:	NA
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	:	NA
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from January 2022 to December 2022.


Mr. Nitin Kamaria
Facility Director
Hiranandani Healthcare Pvt. Ltd.



Date: 20th June 2023

Place: Vashi